

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : SolidFlow PY184 Bismuth Vanadate Yellow
Product code : SF 140

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Synthetic pigment mixed with anionic and non-ionic surfactants

1.2.2. Uses advised against

Restrictions on use : Other uses are not expected

1.3. Details of the supplier of product safety information sheet

SIOF S.p.A.
Via G. Garibaldi 62
15068 Pozzolo Formigaro, Italy, AL
solidflow.it
E-mail address of competent person responsible for the SDS : info@solidflow.it

1.4. Emergency telephone number

Emergency number : +39 0143417781
Opening hours 8am-12pm / 1pm-5pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	Conc. % w/w	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Pigment Yellow 184	CAS-No.: 14059-33-7 EC-No.: 237-898-0 REACH-no: 01-2119486965-17	< 85	Not classified
Barium sulfate	CAS-No.: 7727-43-7 EC-No.: 231-784-4 REACH-no: 01-2119491274-35	< 15	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: If you feel unwell, seek medical advice.
Self protection of the first-aiders	: Even though no specific hazards are defined, first-aiders should wear eye protection, gloves and disposable half mask. Consider additional protection if repeated or prolonged exposition is likely.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions. Dust of the product, if present, may cause respiratory irritation after excessive inhalation exposure.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.
Methods for cleaning up : Mechanically recover the product.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer also to sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Keep cool. Protect from sunlight.
Packaging materials : Always store product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Pigment Yellow 184 (14059-33-7)

Germany - Occupational Exposure Limits (TRGS 900)

Local name	Bismutvanadiumtetraoxid
AGW (OEL TWA) [1]	0.001 mg/m³ (A)
Peak exposure limitation factor	8(II)

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

Pigment Yellow 184 (14059-33-7)	
Remark	AGS - Ausschuss für Gefahrstoffe
Regulatory reference	TRGS900
Slovenia - Occupational Exposure Limits	
Local name	bizmutvanadijevtetraoksid
OEL TWA	0.001 mg/m ³
OEL STEL	0.008 mg/m ³
Regulatory reference	Uradni list RS, št. 26/2025 z dne 18.4.2025 - Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu
Barium sulfate (7727-43-7)	
Portugal - Occupational Exposure Limits	
Local name	Sulfato de bário
OEL TWA	5 mg/m ³ I (Fração inalável), E (O valor aplica-se a partículas sem amianto e contendo menos de 1 % de sílica cristalina)
Regulatory reference	Norma Portuguesa NP 1796:2014
Slovakia - Occupational Exposure Limits	
Local name	Síran (sulfát) báratý
NPHV (OEL TWA) [1]	4 mg/m ³ inhalovateľná frakcia 1.5 mg/m ³ respirabilná frakcia
Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (122/2024 Z. z.)
Spain - Occupational Exposure Limits	
Local name	Sulfato de bario
VLA-ED (OEL TWA) [1]	10 mg/m ³
Remark	e (Este valor es para la materia particulada que no contenga amianto ni sílice cristalina).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2025. INSHT
USA - ACGIH® - Threshold Limit Values	
Local name	Barium sulfate
ACGIH® TLV® TWA	5 mg/m ³ (I - Inhalable particulate matter, E - The value is for particulate matter containing no asbestos and < 1 % crystalline silica)
Remark (ACGIH®)	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2025

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Barium sulfate (7727-43-7)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	10 mg/m ³
Long-term - local effects, inhalation	10 mg/m ³

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

Barium sulfate (7727-43-7)	
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	13000 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	10 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	115 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	600.4 mg/kg dwt
PNEC (Soil)	
PNEC soil	207.7 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	62.2 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : Yellow.

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

Appearance	: Granules.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: Water: Insoluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Bulk density: 1,3 - 1,5 kg/l
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Pigment Yellow 184 (14059-33-7)

LD50 oral rat	> 5000 mg/kg bodyweight (OECD 401 method)
LC50 Inhalation - Rat	> 5.15 mg/l air (OECD 403 method)

Barium sulfate (7727-43-7)

LD50 oral	> 5000 mg/kg
-----------	--------------

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Barium sulfate (7727-43-7)

Additional information	not irritating (in vivo study on rabbit, OECD 404).
------------------------	---

Serious eye damage/irritation : Not classified

Barium sulfate (7727-43-7)

Additional information	non-irritating (rabbit, OECD 405)
------------------------	-----------------------------------

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Barium sulfate (7727-43-7)

not sensitizing Species	mouse Method: Local Lymph Node Assay (LLNA)
Additional information	(OECD 429 method)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Barium sulfate (7727-43-7)

Additional information	Non genotoxic. (OECD 471, OECD 473, OECD 474)
------------------------	---

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Barium sulfate (7727-43-7)

NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight
NOAEL (chronic, oral, animal/female, 2 years)	75 mg/kg bodyweight
Additional information	There was no evidence of carcinogenic activity (showing no chemical related increase of malignant or benign neoplasms) of barium chloride in both sexes of rats and mice that received 500, 1250, and 2500 ppm. Thus, the concentration of 2500 ppm represents a NOAEL (corresponding to barium doses of 60 and 75 mg/kg bw/d to male and female rats, respectively, and 160 and 200 mg/kg bw/d to male and female mice, respectively). No classification of the substance as CMR substance is required.

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Barium sulfate (7727-43-7)

Additional information	Based on the results of a GLP compliant Extended One Generation Study performed according to OECD 443 in which Barium dichloride dihydrate was administered daily by oral gavage to Sprague-Dawley rats, the dosage of 30 mg/kg/day was considered the NOAEL for general and reproductive toxicity and pups development in parental generation and for general toxicity in Cohorts 1A and 1B.
------------------------	---

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Pigment Yellow 184 (14059-33-7)

LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.0007 mg/l air (OECD 413 method)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.0001 mg/l air (OECD 413 method)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substances included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substances identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1%.

11.2.2. Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

Pigment Yellow 184 (14059-33-7)

LC50 - Fish [1]	> 10000 mg/l Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	> 100 mg/l Desmodesmus subspicatus

Barium sulfate (7727-43-7)

LC50 - Fish [1]	> 97.5 mg/l Brachydanio rerio (zebra-fish)
EC50 - Crustacea [1]	> 58.8 mg/l Daphnia magna (Water flea)
EC50 72h - Algae [1]	> 30.1 mg/l Pseudokirchneriella subcapitata
NOEC chronic fish	≥ 40.3 mg/l Brachydanio rerio (zebra-fish)
NOEC chronic crustacea	2.9 mg/l Daphnia magna (Water flea)
NOEC chronic algae	≥ 30.1 mg/l Pseudokirchneriella subcapitata

12.2. Persistence and degradability

SolidFlow PY184 Bismuth Vanadate Yellow

Persistence and degradability	No data are available on the mixture as such.
-------------------------------	---

Pigment Yellow 184 (14059-33-7)

Persistence and degradability	The substance is inorganic, the concept of biodegradation is not applicable.
-------------------------------	--

Barium sulfate (7727-43-7)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

Pigment Yellow 184 (14059-33-7)

Bioaccumulative potential	Bioaccumulation is not expected to occur.
---------------------------	---

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

Barium sulfate (7727-43-7)

BCF - Fish [1]	1.2 – 74.4 l/kg
Bioaccumulative potential	The potential for bioaccumulation in aquatic or terrestrial species is considered as negligible.

12.4. Mobility in soil

Pigment Yellow 184 (14059-33-7)

Mobility in soil	No available data
------------------	-------------------

Barium sulfate (7727-43-7)

Mobility in soil	Barium in soils is not expected to be very mobile because of the formation of water-insoluble salts (sulphate and carbonate) and its inability to form soluble complexes with humic and fulvic materials.
------------------	---

12.5. Results of PBT and vPvB assessment

SolidFlow PY184 Bismuth Vanadate Yellow

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable



SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

ADR	IMDG	IATA	RID
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations : Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 and all its amendments and modifications.

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Major Accidents Ordinance (12. BImSchV) : Is not listed in the Major Accidents Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis

Indication of changes:

Indication of changes:

Edition No. 1.0, dated 10/10/2024;

Edition No. 2.0, dated 2/13/2026: Updated toxicological data included.

Abbreviations and acronyms:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstracts Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard

SolidFlow PY184 Bismuth Vanadate Yellow

Product Safety Information Sheet

A safety data sheet is not required for this product under Article 31 of REACH. This Product Safety Information Sheet has been created on a voluntary basis
Issue date: 10/10/2024 Revision date: 2/13/2026 Version: 2.0

Abbreviations and acronyms:	
EWG	European waste catalogue
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety Health Administration
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

Data sources : SDS Supplier. ECHA database.

Training advice : Follow National requirements to ensure protection of human health and the environment.

This document is intended to provide guidance for the proper and safe handling of this product by qualified personnel or those working under the supervision of personnel experienced in handling chemicals. The product should not be used for purposes other than those listed in Section 1 unless adequate written information on how to handle the material has been received.

The person responsible for this document cannot provide warnings about all hazards arising from use or interaction with other chemicals or materials. The user is responsible for the safe use of the product, its suitability for its intended use, and its proper disposal. The information provided below is not intended to be a representation or warranty, either express or implied, of merchantability, fitness for a particular purpose, quality, or any other nature. The information contained in this SDS complies with the provisions of Regulation (EU) 2020/878.